

PRELIMINARY

超微粒子粉末鋼

hYS

COMFORTABLE SCISSOR for Professional



history of scissor material

all of blade portion is made of traditional carbon steel



edge of blade portion is made of traditional carbon steel



all of blade portion is made of stainless steel



all of blade portion is made of stainless steel including cobalt



all of blade portion is made of cobalt based alloy



all of blade portion is made from powder high speed steel and having HRC(Rockwell hardness C) 64



all of blade portion is made from powder high speed steel and having HRC(Rockwell hardness C) 67



our professionals



President
Nobuaki Hayashi



Factory Manager
Hironobu Hayashi



Manufacturing Chief
Masahiro Maruno



Processing Staff
Yuuki Tamai



HYS MAX67

MARK-IV

HRC67

D.L.C
Diamond-like Carbon

HYS MAX67
MARK-IV
DRY
for DRYCUT

HANDLE TYPE	WEIGHT (g)	LENGTH (inch)	MODEL No. (RIGHT HANDLE MODEL ONLY)	PRICE IN JAPAN (JPY Tax included)
-------------	---------------	------------------	--	--------------------------------------

HYS MAX67 MARK-IV

01	αH OFFSET	69	HYS-MAX67-KRETER-αH-6.2-DLC MARK-IV	¥242,000
02	ATH OFFSET	69		
03	HINERI OFFSET	66		
04	AT OFFSET	68		


HYS MAX67 MARK-IV DRY

01	αH OFFSET	62	HYS-MAX67-KRETER-αH-5.7-DLC MARK-IV DRY	¥242,000
02	ATH OFFSET	60		
03	HINERI OFFSET	63		
04	AT OFFSET	58		


HANDLE TYPE




01 αH OFFSET



02 ATH OFFSET



03 HINERI OFFSET



04 AT OFFSET

*HRC : The Rockwell Hardness C is one of hardness scale based on indentation hardness of a material.

*D.L.C : Diamond like carbon coating



HYS SR600


HRC64

HANDLE TYPE	WEIGHT (g)	LENGTH (inch)	MODEL No. (RIGHT HANDLE MODEL ONLY)	PRICE IN JAPAN (JPY Tax included)
-------------	---------------	------------------	--	--------------------------------------

HYS SR600

01	αH OFFSET	61	HYS-SR600-αH-6	¥132,000
02	ATH OFFSET	59		
03	MEH OFFSET	57		
04	HINERI OFFSET	62		
05	AT OFFSET	57		
06	ME OFFSET	55		
07	SH SYMMETRY	55		

HANDLE TYPE




01 αH OFFSET




02 ATH OFFSET



03 MEH OFFSET



04 HINERI OFFSET




05 AT OFFSET



06 ME OFFSET




07 SH SYMMETRY



HYS ripple mark

HRC64




HANDLE TYPE	WEIGHT (g)	LENGTH (inch)	MODEL No. (RIGHT HANDLE MODEL ONLY)	PRICE IN JAPAN (JPY Tax included)
-------------	---------------	------------------	--	--------------------------------------

HYS ripple mark

01	αH OFFSET	—	HYS-ripple-mark-αH-6	¥137,500
02	ATH OFFSET	—	HYS-ripple-mark-ATH-6	
03	MEH OFFSET	—	HYS-ripple-mark-MEH-6	
04	AT OFFSET	—	HYS-ripple-mark-AT-6	
05	ME OFFSET	—	HYS-ripple-mark-ME-6	
06	SH SYMMETRY	—	HYS-ripple-mark-SH-6	

HANDLE TYPE




01 αH OFFSET



02 ATH OFFSET



03 MEH OFFSET



04 AT OFFSET



05 ME OFFSET



06 SH SYMMETRY

S-HYS-R

HRC64



HANDLE TYPE	WEIGHT (g)	LENGTH (inch)	MODEL No. (RIGHT HANDLE MODEL ONLY)	PRICE IN JAPAN (JPY Tax included)
-------------	------------	---------------	-------------------------------------	-----------------------------------

S-HYS-R

01	M SYMMETRY	38	5	S-HYS-R-M-5	¥115,500
		43	5.5	S-HYS-R-M-5.5	¥121,000
		46	6	S-HYS-R-M-6	
02	C OFFSET	42	5	S-HYS-R-C-5	¥115,500
		44	5.5	S-HYS-R-C-5.5	¥121,000
		46	6	S-HYS-R-C-6	
03	MI SYMMETRY	45	5	S-HYS-R-MI-5	¥115,500
		47	5.5	S-HYS-R-MI-5.5	¥121,000
		48	6	S-HYS-R-MI-6	
04	FH SYMMETRY	44	5	S-HYS-R-FH-5	¥115,500
		46	5.5	S-HYS-R-FH-5.5	¥121,000
		49	6	S-HYS-R-FH-6	
05	SH SYMMETRY	47	5	S-HYS-R-SH-5	¥115,500
		49	5.5	S-HYS-R-SH-5.5	¥121,000
		52	6	S-HYS-R-SH-6	

HANDLE TYPE



01 M SYMMETRY



02 C OFFSE



03 MI SYMMETRY



04 FH SYMMETRY



05 SH SYMMETRY

HYS SWELL —SLIM CUT—

HRC64

HANDLE TYPE	WEIGHT (g)	LENGTH (inch)	MODEL No. (RIGHT HANDLE MODEL)	PRICE IN JAPAN (JPY Tax included)	MODEL No. (LEFT HANDLE MODEL)	PRICE IN JAPAN (JPY Tax included)
-------------	---------------	------------------	-----------------------------------	--------------------------------------	----------------------------------	--------------------------------------

HYS SWELL SLIM CUT

01	αH OFFSET	61	5.5	HYS-SWELL SLIM CUT-αH -5.5	¥132,000		
		61	6	HYS-SWELL SLIM CUT-αH -6			
		67	6.5	HYS-SWELL SLIM CUT-αH -6.5	¥143,000		
		72	7	HYS-SWELL SLIM CUT-αH -7			
02	αH-B OFFSET	56	5.5	HYS-SWELL SLIM CUT-αH-B-5.5	¥132,000		
		56	6	HYS-SWELL SLIM CUT-αH-B-6			
		59	6.5	HYS-SWELL SLIM CUT-αH-B-6.5	¥143,000		
		61	7	HYS-SWELL SLIM CUT-αH-B-7			
03	ATH OFFSET	57	5.5	HYS-SWELL SLIM CUT-ATH -5.5	¥132,000	HYS-SWELL SLIM CUT-ATH -5.5-L	¥137,500
		57	6	HYS-SWELL SLIM CUT-ATH -6		HYS-SWELL SLIM CUT-ATH -6-L	
		63	6.5	HYS-SWELL SLIM CUT-ATH -6.5	¥143,000		
		65	7	HYS-SWELL SLIM CUT-ATH -7			
04	MEH OFFSET	56	5.5	HYS-SWELL SLIM CUT-MEH -5.5	¥132,000	HYS-SWELL SLIM CUT-MEH -5.5-L	¥137,500
		54	6	HYS-SWELL SLIM CUT-MEH -6		HYS-SWELL SLIM CUT-MEH -6-L	
		60	6.5	HYS-SWELL SLIM CUT-MEH -6.5	¥143,000		
		64	7	HYS-SWELL SLIM CUT-MEH -7			
05	HINERI OFFSET	54	5.5	HYS-SWELL SLIM CUT-HINERI-5.5	¥132,000		
		56	6	HYS-SWELL SLIM CUT-HINERI-6			
		59	6.5	HYS-SWELL SLIM CUT-HINERI-6.5	¥143,000		
		65	7	HYS-SWELL SLIM CUT-HINERI-7			
06	AT OFFSET	53	5.5	HYS-SWELL SLIM CUT-AT-5.5	¥132,000	HYS-SWELL SLIM CUT-AT-5.5-L	¥137,500
		55	6	HYS-SWELL SLIM CUT-AT-6		HYS-SWELL SLIM CUT-AT-6-L	
		58	6.5	HYS-SWELL SLIM CUT-AT-6.5	¥143,000		
		62	7	HYS-SWELL SLIM CUT-AT-7			
07	ME OFFSET	55	5.5	HYS-SWELL SLIM CUT-ME-5.5	¥132,000	HYS-SWELL SLIM CUT-ME-5.5-L	¥137,500
		55	6	HYS-SWELL SLIM CUT-ME-6		HYS-SWELL SLIM CUT-ME-6-L	
		58	6.5	HYS-SWELL SLIM CUT-ME-6.5	¥143,000		
		60	7	HYS-SWELL SLIM CUT-ME-7			
08	SH SYMMETRY	53	5.5	HYS-SWELL SLIM CUT-SH-5.5	¥132,000	HYS-SWELL SLIM CUT-SH-5.5-L	¥137,500
		55	6	HYS-SWELL SLIM CUT-SH -6		HYS-SWELL SLIM CUT-SH -6-L	
		58	6.5	HYS-SWELL SLIM CUT-SH -6.5	¥143,000		
		62	7	HYS-SWELL SLIM CUT-SH -7			

SWELL
Swell Line Shape

DOB
Dish Of Bearing



*As for HANDLE TYPE, please refer to 'HYS SWELL SLIM DRY' (next page).


HYS SWELL

—SLIM DRY—

HRC64

HANDLE TYPE		WEIGHT (g)	LENGTH (inch)	MODEL No. (RIGHT HANDLE MODEL)	PRICE IN JAPAN (JPY Tax included)	MODEL No. (LEFT HANDLE MODEL)	PRICE IN JAPAN (JPY Tax included)
HYS SWELL SLIM DRY							
01	αH OFFSET	63	5.5	HYS-SWELL SLIM DRY-αH -5.5	¥ 132,000		
		65	6	HYS-SWELL SLIM DRY-αH -6			
02	αH-B OFFSET	58	5.5	HYS-SWELL SLIM DRY-αH-B-5.5	¥ 132,000		
		60	6	HYS-SWELL SLIM DRY-αH-B-6			
03	ATH OFFSET	58	5.5	HYS-SWELL SLIM DRY-ATH-5.5	¥ 132,000	HYS-SWELL SLIM DRY-ATH-5.5-L	¥ 137,500
		59	6	HYS-SWELL SLIM DRY-ATH-6		HYS-SWELL SLIM DRY-ATH-6-L	
04	MEH OFFSET	56	5.5	HYS-SWELL SLIM DRY-MEH-5.5	¥ 132,000	HYS-SWELL SLIM DRY-MEH-5.5-L	¥ 137,500
		57	6	HYS-SWELL SLIM DRY-MEH-6		HYS-SWELL SLIM DRY-MEH-6-L	
05	HINERI OFFSET	58	5.5	HYS-SWELL SLIM DRY-HINERI-5.5	¥ 132,000		
		59	6	HYS-SWELL SLIM DRY-HINERI-6			
06	AT OFFSET	59	5.5	HYS-SWELL SLIM DRY-AT-5.5	¥ 132,000	HYS-SWELL SLIM DRY-AT-5.5-L	¥ 137,500
		60	6	HYS-SWELL SLIM DRY-AT-6		HYS-SWELL SLIM DRY-AT-6-L	
07	ME OFFSET	52	5.5	HYS-SWELL SLIM DRY-ME-5.5	¥ 132,000	HYS-SWELL SLIM DRY-ME-5.5-L	¥ 137,500
		56	6	HYS-SWELL SLIM DRY-ME-6		HYS-SWELL SLIM DRY-ME-6-L	
08	SH SYMMETRY	53	5.5	HYS-SWELL SLIM DRY-SH-5.5	¥ 132,000	HYS-SWELL SLIM DRY-SH-5.5-L	¥ 137,500
		57	6	HYS-SWELL SLIM DRY-SH-6		HYS-SWELL SLIM DRY-SH-6-L	

HANDLE TYPE




HYS MOUNTAIN EDGE HRC64

HANDLE TYPE	WEIGHT (g)	LENGTH (inch)	MODEL No. (RIGHT HANDLE MODEL)	PRICE IN JAPAN (JPY Tax included)	MODEL No. (LEFT HANDLE MODEL)	PRICE IN JAPAN (JPY Tax included)
-------------	---------------	------------------	-----------------------------------	--------------------------------------	----------------------------------	--------------------------------------


HYS MOUNTAIN EDGE

01	α H OFFSET	60	5.6	HYS-ME- α H-5.6	¥126,500	
		66	6.2	HYS-ME- α H-6.2	¥126,500	
		71	6.75	HYS-ME- α H-6.75	¥137,500	
02	ATH OFFSET	55	5.6	HYS-ME-ATH-5.6	¥126,500	HYS-ME-ATH-6.2-L ¥132,000
		61	6.2	HYS-ME-ATH-6.2	¥126,500	
		69	6.75	HYS-ME-ATH-6.75	¥137,500	
03	MEH OFFSET	55	5.6	HYS-ME-MEH-5.6	¥126,500	HYS-ME-MEH-6.2-L ¥132,000
		61	6.2	HYS-ME-MEH-6.2	¥126,500	
		66	6.75	HYS-ME-MEH-6.75	¥137,500	
04	AT OFFSET	57	5.6	HYS-ME-AT-5.6	¥126,500	HYS-ME-AT-6.2-L ¥132,000
		63	6.2	HYS-ME-AT-6.2	¥126,500	
		67	6.75	HYS-ME-AT-6.75	¥137,500	
05	ME OFFSET	53	5.6	HYS-ME-ME-5.6	¥126,500	HYS-ME-ME-6.2-L ¥132,000
		57	6.2	HYS-ME-ME-6.2	¥126,500	
		68	6.75	HYS-ME-ME-6.75	¥137,500	
06	SH SYMMETRY	54	5.6	HYS-ME-SH-5.6	¥126,500	HYS-ME-SH-6.2-L ¥132,000
		59	6.2	HYS-ME-SH-6.2	¥126,500	
07	ATCD OFFSET	53	5.6	HYS-ME-ATCD-5.6	¥126,500	HYS-ME-ATCD-6.2-L ¥132,000
		63	6.2	HYS-ME-ATCD-6.2	¥126,500	


HANDLE TYPE



01 α H OFFSET



02 ATH OFFSET



03 MEH OFFSET



04 AT OFFSET




05 ME OFFSET




06 SH SYMMETRY



07 ATCD OFFSET





Hayashi Scissors Co.,Ltd.

6-5-74, Tebira, Wakayama-shi, Wakayama, 640-8319, Japan

Tel: (81)-73-427-0913

Fax: (81)-73-427-6280

info@hayashi-scissors.com

<http://www.hayashi-scissors.com>